Job No. : 16027 SHB1-CRA-CS-MOR Date: April 2017

Kildare County Council

Proposed Development of 74 no. Residential Units at Craddockstown Road, Cradockstown Demesne, Naas, Co. Kildare.

Site Specific Flood Risk Assessment



2B Richview Office Park Clonskeagh Dublin 14

Contents Amendment Record



2B Richview Office Park, Clonskeagh, Dublin 14
Tel: +353-1-260 2655 Fax: +353-1-260 2660 E-mail: info@MORce.ie

Title:

Proposed Development of

74 no. Residential Units at Craddockstown Road, Cradockstown Demesne, Naas, Co. Kildare. –

Site Specific Flood Risk Assessment

Job Number:

SHB1-CRA-CS-MOR-DOC-Site Specific Flood Risk Assessment

Prepared By:

Douglas Weir

Signed:

Checked By:

Noel Dillon

Signed:

Approved By:

Noel Dillon

Signed:

Revision Record

Issue No.	Date	Description	Remark	Prepared	Checked	Approved
0	24/02/15	Draft	n/a	DW	ND	ND
PMAD	07/04/17	Part 8 Planning	n/a	DW	ND	ND
district in	na PO washinin Bill Sa	10				
	Choshean					

CONTENTS

		Page No.
1 INT	RODUCTION	1
1.1	Introduction	1
2 THE	SITE AND PROPOSED DEVELOPMENT	2
2.1	The Site	2
2.2	Surrounding Watercourses	2
2.3	Site Visit	3
2.4	Proposed Development	3
3 FLU	JVIAL FLOOD RISK ASSESSMENT	4
3.1	The National Preliminary Flood Risk Assessment	2
3.2	OPW Flood Records	6
3.3	Naas Town Development Plan	6
4 SEC	QUENTIAL APPROACH TO PLANNING	7
4.1	Flood Zones	7
4.2	Vulnerability Class of Proposed Development	8
5 OTI	HER FLOOD SOURCES	11
5.1	Pluvial Flooding	11
5.2	Coastal Flooding	11
5.3	Groundwater Flooding	11
6 CO	NCLUSIONS FROM FLOOD RISK ASSESSMENT	12
6.1	Conclusions	12
APPEN	DIX A – PFRA MAPS FROM EASTERN CFRAM STUDY	

APPENDIX B – NAAS TOWN DEVELOPMENT PLAN 2011-2017, MAP 8.1.....2

1 INTRODUCTION

1.1 Introduction

Malone O'Regan have been commissioned to undertake a site-specific flood risk assessment in relation to a proposed residential development on Craddockstown Road, Naas, County Kildare. This report has been prepared to outline the findings of the assessment and to support a Part VIII planning application for the development.

The flood risk assessment has been carried out in accordance with the Government's 2009 Planning System and Flood Risk Management Guidelines (hereafter referred to as the 2009 Planning Guidelines). These guidelines adopt a staged approach to the assessment of flood risk.

This report describes a Stage 2 Initial Flood Risk Assessment which is defined within the 2009 Planning Guidelines as follows:

"A qualitative or semi-quantitative study to confirm sources of flooding that may affect a plan area or proposed development site, to appraise the adequacy of existing information, to provide a qualitative appraisal of the risk of flooding to development, including the scope of possible mitigation measures, and the potential impact of development on flooding elsewhere, and to determine the need for further detailed assessment."

The assessment involved a desk study combined with a site visit. The study was principally focused on examining flooding risks to the proposed site from the nearby Castlesize Stream and Naas Hospital Stream.

This report has also been prepared to satisfy policy SW4 of the Naas Town Development Plan:

"To ensure that development proposals for lands that are identified in the Naas Town Council Strategic Flood Risk Assessment (Map 8.1) as being located within an area of potential flood risk, are accompanied by a site specific flood risk assessment appropriate to the type and scale of the proposed development."

2 THE SITE AND PROPOSED DEVELOPMENT

2.1 The Site

The proposed site is located along the Craddockstown Road (L6043) approximately 1.5km to the southeast of Naas town centre. The site is located at the southern edge of an established residential area. Naas Community National School is located immediately to the north of the site and the Oak Glade residential estate lies to the north of the school. The Ban na Greinne residential development is located to the west of the Craddockstown Road, across from Naas Community National School. 2 no. detached residential properties fronting onto the Craddockstown Road are located to the west of the site. There is further undeveloped, residential zoned land to the north and northeast of the site.

The lands to the south of the site are principally used for agricultural purposes. Craddockstown Golf Course is located to the southeast of the site.

The site has an overall area of 3.58 hectares. A topographical survey has been conducted which indicates that there is a gentle slope across the site. The existing ground level falls from a highest elevation of +118.0m at the southwest corner of the site to a lowest elevation of +112.5m in the northeast corner of the site.

2.2 Surrounding Watercourses

As illustrated in Figure 2.1 there are no watercourses in the immediate vicinity of the site. The closest watercourses are the Naas Hospital Stream which is approximately 500m to the west of the site and the Castlesize and Cradockstown Demesne Streams which are located approximately 500m to the northeast of the site. The Castlesize Stream and Cradockstown Demesne Stream run alongside the Blessington Road and feed into the Castlesize River at a point approximately 600m to the north of the site.



Figure 2.1 - Surrounding Watercourses

2.3 Site Visit

On 2nd September 2016 Malone O'Regan visited the proposed site. The purpose of the site visit was to assess the topography of the area and identify potential sources of flood risk. It was noted that there is a significant level difference between the subject site and the adjoining Naas Community National School with the school at a lower elevation.

The site is split into four fields which are separated by mature trees and hedgerows. The majority of the proposed development will be located on the two fields at the western side of the site. Standing water was noted in an area of the north eastern field. This area is roughly 150m to the east of the proposed development.

2.4 Proposed Development

The proposed development includes the construction of 74 residential properties as well as access roads, car parking bays and other ancillary utility services. Details of the proposed development are indicated on Malone O'Regan drawing SHB1-CRA-CS-MOR-DR-101.

3 FLUVIAL FLOOD RISK ASSESSMENT

The following sources of information were reviewed in order to identify any flood risk to the proposed development site as a result of fluvial flooding:

- The National Preliminary Flood Risk Assessment (PFRA) Overview Report & Indicative Flood Maps (OPW, March 2012, www.cfram.ie)
- OPW Flood Records from www.floodmaps.ie
- Naas Town Development Plan 2011-2017.

3.1 The National Preliminary Flood Risk Assessment

The principal source of information used to establish the risk of flooding on the site is the Flood Risk Assessment (FRA) Maps from the Catchment Flood Risk Assessment and Management (CFRAM) Study. The relevant maps have been included within Appendix A of this report and extract from the maps are provided in the Figures below. Figure 3.1 indicates the extent of flooding associated with the Castlesize Stream while Figure 3.2 shows the predicted flood extents for the Naas Hospital Stream. These maps indicate the extent of flooding caused by a fluvial flood event with an annual exceedance probability (AEP) of 10% (10yr event), 1% (100yr event) and 0.1% (1000yr event). The final versions of the maps were published recently (September 2016) and are considered to be an accurate indication of the risk of flooding on the site.

From Figure 3.1, Figure 3.2 and the maps in Appendix A it can be seen that the site is predicted to remain unaffected by even the largest 1000-year storm events. Flooding is limited to the areas immediately alongside the Castlesize Stream and the Naas Hospital Stream. It can therefore be concluded that there is no realistic risk of fluvial flooding to the site.




Figure 3.1 – Extract from PFRA Maps – Castlesize Stream




Figure 3.2 – Extract from PFRA Maps – Naas Hospital Stream

The CFRAM Study also gives predicted water levels in the Castlesize Stream and the Naas Hospital Stream. These levels are presented in Table 3.1 below, where all levels are in metres above ordnance datum. The location of the node points is indicated in Figure 3.1 and on the drawings in Appendix A.

Location	Node Label	Water Level 10% AEP	Water Level 1% AEP	Water Level 0.1% AEP
Castlesize Stream	09NASS00629J	102.36	103.22	103.35
Naas Hospital Stream	09BROA00162	98.00	98.32	98.43

Table 3.1 – CFRAMS Predicted Water Levels

It can be seen that the flood levels predicted within the CFRAM Study for both the Castlesize Stream and the Naas Hospital Stream are significantly below the minimum ground level within the proposed site (+112.5m). It can therefore be concluded that there is no realistic risk of fluvial flooding to the site.

3.2 OPW Flood Records

The Office of Public Works (OPW) maintain records of historical flood events in Ireland which are available for inspection on their website (www.floodmaps.ie). These records were examined and there were no recorded instances of historical flooding in the vicinity of the subject site.

3.3 Naas Town Development Plan

Map 8.1 of The Naas Town Development Plan 2017-2023 identifies a number of areas where the risk of flooding needs to be considered and any development justified using a site-specific flood risk assessment. This map is provided for reference in Appendix B of this report.

It is noted that the eastern portion of the overall landholding lies within an area for which flooding needs to be considered. The risk of flooding has been assessed in the preceeding sections and the flood maps provided within the CFRAM Study show that there is no realistic risk of flooding to the site.

4 SEQUENTIAL APPROACH TO PLANNING

The document "Planning Systems and Flood Risk Management: Guidelines for Planning Authorities November 2009" requires the adoption of a sequential approach to flood risk management when assessing the location for new developments. This approach is a risk-based method to guide development away from areas that have been identified through flood risk assessment as being at risk from flooding. The philosophy used in this approach is outlined in figure 4.1 below.



Figure 4.1 Source: The Planning Systems and Flood Risk Management: Guidelines for Planning Authorities November 2009

The sequential approach uses mapped flood zones alongside considerations of the vulnerability of different types of development to give priority to development in zones of low flood probability.

4.1 Flood Zones

The flood zones are defined on the basis of flooding from rivers and the sea. The different flood zones recommended in the 2009 Planning Guidelines are:

Flood Zone A – Highest risk area where there is a 1% chance of flooding in any one year from rivers and a 0.5% chance of flooding from the sea.

Flood Zone B – Moderate risk area where the chance of flooding in any one year is 0.1-1% for rivers and 0.1-0.5% for coastal flooding.

Flood Zone C – Low risk area with less than 0.1% chance of flooding from rivers or the sea in any given year.

As described in Section 3.1 above, the PFRA Maps from the CFRAM Study indicate that the proposed development is outside of the area predicted to flood during a 1 in 1000 year flood event. The development is therefore located within Flood Zone C.

4.2 Vulnerability Class of Proposed Development

The vulnerability class of the development is dependent on the land use and type of development proposed. See Table 4.1 for the vulnerability classes.

Vulnerability class	Land uses and types of development which include*:
Highly vulnerable	Garda, ambulance and fire stations and command centres required to be operational during flooding;
development (including	Hospitals;
essential	Emergency access and egress points;
infrastructure)	Schools;
	Dwelling houses, student halls of residence and hostels;
	Residential institutions such as residential care homes, children's homes and social services homes;
	Caravans and mobile home parks;
	Dwelling houses designed, constructed or adapted for the elderly or, other people with impaired mobility; and
	Essential infrastructure, such as primary transport and utilities distribution, including electricity generating power stations and sub-stations, water and sewage treatment, and potential significant sources of pollution (SEVESO sites, IPPC sites, etc.) in the event of flooding.
Less vulnerable	Buildings used for: retail, leisure, warehousing, commercial, industrial and non-residential institutions;
development	Land and buildings used for holiday or short-let caravans and camping, subject to specific warning and evacuation plans;
	Land and buildings used for agriculture and forestry;
	Waste treatment (except landfill and hazardous waste);
	Mineral working and processing; and
	Local transport infrastructure.
Water-	Flood control infrastructure;
compatible development	Docks, marinas and wharves;
	Navigation facilities;
	Ship building, repairing and dismantling, dockside fish processing and refrigeration and compatible activities requiring a waterside location;
	Water-based recreation and tourism (excluding sleeping accommodation);
	Lifeguard and coastguard stations;
	Amenity open space, outdoor sports and recreation and essential facilities such as changing rooms; and
	Essential ancillary sleeping or residential accommodation for staff required by uses in this category (subject to a specific warning and evacuation plan).
*Uses not listed here s	should be considered on their own merits

Table 4.1 Classification of Vulnerability to Flooding for Various Development Types

(Source – Table 3.1 Planning System and Flood Risk Management – Guidelines for Planning Authorities DEHLG, OPW, November 2009)

The 2009 Planning Guidelines presents a matrix of vulnerability versus flood zone to illustrate appropriate development and the requirement of justification tests. That matrix can be seen in Table 4.2. The proposed residential development is classified as a highly vulnerable development from Table 4.1. However, the development will be located in Flood Zone C and is therefore considered to be appropriate and a Justification Test is not therefore required.

	Flood Zone A	Flood Zone B	Flood Zone C
Highly vulnerable development (including essential infrastructure)	Justification Test	Justification (Test	Appropriate
Less vulnerable development	Justification Test	Appropriate	Appropriate
Water-compatible development	Appropriate	Appropriate	Appropriate

Table 4.2 - Matrix of Vulnerability vs. Flood Zone

(Source – Table 3.1 Planning System and Flood Risk Management – Guidelines for Planning Authorities DEHLG, OPW, November 2009)

5 OTHER FLOOD SOURCES

5.1 Pluvial Flooding

This type of flooding is typically caused by summer thunderstorms or high intensity rainfall during longer duration events. This flooding is then generated by overland flows prior to the run-off entering watercourses / sewers (pipe networks).

All runoff from the roofs of buildings will be collected into a number of downpipes and gullies and will discharge into the public sewers. External areas will generally be grassed or surfaced using permeable paving. No surface water runoff will be allowed to discharge onto adjoining lands. It is therefore highly unlikely that the site will be affected by pluvial flooding.

5.2 Coastal Flooding

The proposed development is not located in a coastal area and coastal flooding is not considered to be a significant risk.

5.3 Groundwater Flooding

Groundwater flooding occurs as a result of water rising up from underlying soils or from water flowing from abnormal springs. This tends to occur only after long periods of sustained high rainfall.

The OPW Preliminary Flood Risk Assessments Groundwater Flooding Report concludes that groundwater flooding is largely confined to the west coast of Ireland, due to the hydrogeology of that area. The site is therefore not considered to be at risk of groundwater flooding.

6 CONCLUSIONS FROM FLOOD RISK ASSESSMENT


6.1 Conclusions


- The eastern edge of the overall landholding is identified within the Naas Town Development Plan as an area for which a site-specific flood risk assessment is required.
- The risk of flooding on the proposed development site has been considered using available primary sources of flooding information. This assessment demonstrates that the entirely of the site is not at risk from flooding from either a 1 in 100yr or a 1 in 1000yr storm event.
- The FRA maps contained within the CFRAM Study show that there is no realistic risk of flooding on the site. The maximum predicted 1000 year flood level within the Castlesize Stream is +103.35m. The maximum predicted 1000 year flood level within the Naas Hospital Stream is +98.43m. The minimum ground level within the proposed development is +112.50m.
- A sequential approach to flood risk management was adopted in accordance with the 2009 Planning Guidelines. After assessing the flooding risk, the proposed residential development is considered to be appropriate in this location.

APPENDIX A – PFRA MAPS FROM EASTERN CFRAM STUDY
Malone O'Regan

Site Specific Flood Risk Assessment

SHB1-CRA-CS-MOR-DOC






APPENDIX B – NAAS TOWN DEVELOP (AREAS FOR WHICH SITE-SPECIFIC FLOOD	MENT PLAN 2011-2017, MAP 8.1 D RISK ASSESSMENT IS REQUIRED)
Malone O'Regan	

Site Specific Flood Risk Assessment

SHB1-CRA-CS-MOR-DOC





NAAS TOWN COUNCIL

Naas Town Development Plan 2011 - 2017

LEGEND

Development proposals for lands outlined shall be the subject of site specific Flood Risk Assessment appropriate to the type & scale of the proposed development



Existing watercourses and features

Naas Town Council Boundary

Strategic Flood Risk Assessment

Scale: N.T.S. Map Ref.: 8.1 Date: 6th June 2011 Drawing No: 200/11/530 © Ordnance Survey Ireland. All rights reserved Licence No. 2004/07CCMA (Kildare County Council)

THIS DRAWING IS TO BE READ IN CONJUNCTION WITH THE WRITTEN STATEMENT