



**LEGEND:**

**PROPOSED ACCESS ROAD/TURNING AREA**  
 45MM OF SMA 14 SURF PMB 65/105-60 CLAUSE 942 ON  
 80MM OF ACBC (28) BASE COURSE ON  
 150MM ANNEX E T1 STONE ON  
 350MM MIN ANNEX E TO STONE ON  
 THRACE 40/40 GEOGRID ON TERRAM

**PROPOSED POROUS CARPARK**  
 40mm DURAFLOW SURFACE COURSE ON  
 80mm DURAFLOW BINDER COURSE ON  
 30mm CHOKER COURSE ON  
 150mm GRANULAR SUBBASE WITH 30-40% VOIDS TO BS13242-2002 ON  
 350mm MIN GRANULAR SUBBASE WITH 30-40% VOIDS TO BS13242-2002 ON  
 THRACE 40/40 GEOGRID ON TERRAM

**CONCRETE PATHS & PARKING**  
 100mm THICK (150mm THICK WHERE TRAFFICKED) C40 / 50 XF4  
 EXPOSURE CLASS CONCRETE WITH 1 LAYER OF A393 MESH ON  
 150MM ANNEX E T1 STONE ON  
 350MM MIN ANNEX E TO STONE ON  
 THRACE 40/40 GEOGRID ON TERRAM

**NOTE:** ALL CONCRETE FOOTWAYS TO BE CONSTRUCTED IN COMPLIANCE WITH DEPARTMENT OF THE ENVIRONMENT AND LOCAL GOVERNMENT RECOMMENDATIONS FOR SITE DEVELOPMENT WORKS FOR HOUSING AREAS. ALL PATHS WITHIN 2m DISTANCE OF ANY ROADWAY OR PARKING/SET DOWN SHALL BE CONSIDERED AS TRAFFICKED.

**BITTER ROAD WAY FOR EMERGENCY CIRCULATION (GREEN FIRE DRIVEWAY)**  
 45MM INSTALLATION SUBSTRUCTURE WITH REINFORCEMENT PANEL TO LANDSCAPERS DETAILS  
 45MM TK PROGRASS REINFORCEMENT PANEL  
 50MM INSTALLATION BED TO LANDSCAPE DETAILS  
 150MM OF GRAVEL AND SAND MIX  
 BASECOURSE 200 OF CL808 ON  
 TERRAM ON  
 NATURAL GROUND

**NOTES:**

**GENERAL NOTES:**

- THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL RELEVANT ARCHITECTS, SERVICE ENGINEERS DRAWINGS & SPECIFICATIONS.
- ALL LEVELS ARE STRUCTURAL UNLESS NOTED OTHERWISE.
- ALL WORKS TO BE CARRIED OUT IN ACCORDANCE WITH THE RELEVANT BUILDING REGULATIONS.
- DO NOT SCALE - WORK TO FIGURE DIMENSIONS ONLY.

Referenced drawings

Dwg No.	Dwg Title

Issue register

Rev.	Date	Description	Drawn	Checked	Approved
PL1	03.12.21	PART 8	TD	NP	NP
PL2	22.06.22	PART 8	TD	MC	NP

Client: **KILDARE CO. CO.**

Job Description: **AMBASSADOR SITE HOUSING  
KILL, Co. KILDARE**

Status: **PART 8**

Drawing Title: **PROPOSED BUILD UP LAYOUT**

Project No: <b>21KK009</b>	Drawing Ref: <b>C-003</b>	Rev: <b>PL2</b>
Date: <b>10.09.18</b>	Scale: <b>A1-1:500 @ A3-1:1000</b>	
Drawn By: <b>T.DALESSANDRO</b>	Checked By: <b>M.CARR</b>	Approved By: <b>N.PATTERSON</b>

**Hayes Higgins Partnership**

Gas House Lane, Kilkenny.

Gas House Lane, Kilkenny (056) 7764710 (056) 723223 info@hayeshiggins.com  
 08 Fitzthum Square, Dublin 2. (01) 6612321 (01) 6625804 admin@hayeshiggins.com