

GAS MAIN-

DIAMETER (mm)	'A' (mm)	'B' (mm)
< 300	300	300
300 - 450	500	500
> 450	3000	500

ELECTRICAL CORRIDOR (DEPTH AND

LAYOUT REQUIREMENTS TO BE CONFIRMED WITH SERVICE PROVIDER)


DIAMETER (mm)	`C' (mm)
≤ 150	3000
200 - 600	5000
> 600	8000

— WATER MAIN

-----NOTE: NO OTHER SERVICES TO BE CONSTRUCTED WITHIN THIS ZONE

FOUL SEWER—

DETAIL 09 - TYPICAL SERVICE LAYOUT INDICATING SEPARATION DISTANCES



NOTES

1.) THESE DRAWINGS TO BE READ IN CONJUNCTION WITH ALL RELEVANT HAYES HIGGINS ENGINEERING DRAWINGS

2.) DO NOT SCALE. USE FIGURED DIMENSIONS ONLY.

<u>GENERAL</u>

STORM WATER—

AND SPECIFICATIONS.



The Glass House, 11 Coke Lane Smithfield, Dublin 7. Tel: 01 6612321 E-mail: admin@hayeshiggins.ie

Gas House Lane, Kilkenny. Tel: (056) 7764710

Email: info@hhp.ie