## Ronan MacDiarmada & Associates Ltd. Landscape Architects & Consultants

Mech. & Elect. Engineer Gort na Si, Newcastle, Co.Dublin


Tel: 01 4124476 Email: ronan@rmda.ie


## **Drawing Register**


Job Title: Craddockstown Road, Naas, Co. Kildare


Job No: 1873


Drawing Title:	Drawing No:	Date:						
		31.07.24	13.09.24	21.09.24	25.09.24	18.11.24	27.11.24	11.03.24
Landscape Plan	01 (A1 Scale 1:250)	Draft	Rev A	Rev B	Rev C	Rev D	Rev E	Rev F
Boundary Plan	02 (A1 Scale Varies)	Draft	Rev A	Rev B	Rev C	Rev D	Rev E	Rev F
Landscape Details	03 (A1 Scale Varies)	Draft	Rev A	Rev B	Rev C	Rev D	Rev E	Rev F
Landscape & Arborist Plan	04 (A1 Scale 1:250)	Draft	Rev A	Rev B	Rev C	Rev D	Rev E	Rev F
Landscape & Engineer Plan	04 (A1 Scale 1:250)	Draft	Rev A	Rev B	Rev C	Rev D	Rev E	Rev F
Landscape Rationale	(A3 Document)			Draft	Rev A	Rev B	Rev C	
Distribution:								1
Architect								1
Client	KCC							1
Project Manager								
Quantity Surveyor								1


























Project Title: Residential Development at			Client: Kildare (	Client: Kildare County Council			Dwg No. 3 LANDSCAPE DETAIL			
Craddockstown, Co.Kildare		Drawing Title: Landscape	Drawing Title: Landscape Details			Scale 1:250				
					Job No. 1873			Date 04/0	6/2024	
F	11/03/2025	PR	RMD	Planning Submission						
Е	27/11/2024	PR	RMD	Updated Plan - Planning		Ronan I	<b>1</b> acDiarmada	a + Associ	iates Ltd.	
D	18/11/2024	PR	RMD	Updated Plan - Planning		Landscar	e Architects a	nd Consult	ants.	
С	25/09/2024	PR	RMD	Updated Plan - Planning						
В	21/09/2024	PR	RMD	Updated Plan		Gort Na S	i, Main Street, Ne	ewcastle, Co	Dublin. D22A314	
А	13/09/2024	PR	RMD	Updated Plan			252 1 412 4	47.4		
	31/07/2024	PR	RMD	Draft Plan		tel:	+353   4 2 4			
					LANDSCAPE ARCHITECTS + CONSULTAN	тs e-mail:	info@rmda.ie			
REV DATE	E BY	BY CHECKED	CKED DESCRIPTION			This Drawing	g is Copyright		0	

c/g 3L 40-60cm





- 1. CONTRACTOR SHALL ADHERE TO MCC GENERAL SPECIFICATION FOR PUBLIC LIGHTING DESIGN AND INSTALLATION IN RESIDENTIAL, INDUSTRIAL AND COMMERCIAL DEVELOPMENTS IN THE MAYO
- 2. ALL DETAILS ARE INDICATIVE ONLY AND SUBJECT TO MANUFACTURERS RECOMMENDATIONS, UTILITY / COUNCIL / LOCAL AUTHORITY REQUIREMENTS AND PROJECT AND SITE SPECIFIC
- 3. ALL PUBLIC LIGHTING LANTERNS TO BE WIRED IN 2X6MM<sup>2</sup>
- 4. ALL PUBLIC LIGHTING LANTERNS SHALL BE FITTED DIRECTLY ON
- 5. COLUMNS SHALL BE OF THE TUBULAR STEEL TYPE C/W FRAMED DOOR. STEEL TO BS4360 GRADE 43 C (MINIMUM THICKNESS OF 3MM).
- PILLARS. FOR ESB MINI PILLAR LOCATIONS REFER TP BW-600
- 7. JB1 CABLE CHAMBER IS REQUIRED TO TERMINATE PL DUCT FROM PL

THICK PUBLIC LIGHTING DUCT

ESB APPROVED MDPE 50 mm Ø OD

6m ABACUS BASE HINGED STEEL STEPPED TABULAR COLUMN

BASE HINGED COLUMNS CAN BE INSTALLED IN ALL TYPES OF LOCATIONS EXPOSED TO PUBLIC TRAFFIC THAT CAN BE DIFFICULT TO REACH. THE SPRING COUNTERBALANCE UNIT MEANS THE COLUMN CAN BE LOWERED FOR MAINTENANCE.

Dwg No. 5 L.P & ENG PLAN Scale 1:250 Date 31/07/2024

> Ronan MacDiarmada + Associates Ltd. Landscape Architects and Consultants. Gort Na Si, Main Street, Newcastle, Co. Dublin. D22A314

> > +353 | 4|2 4476

This Drawing is Copyright